

SUPPLEMENT TO



The Gazette of India

No. 10]

NEW DELHI, SATURDAY, MARCH 5, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th February, 1955

	CHOLERA				SMALLPOX				PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
STATES PART (A) AND PART (C)														
Ajmer														
TOTAL	..	—	—	I	Manbhum	
(Estd. mid-year pop. 741 thousands)									Palamau	
Total for w/e 29-1-55	..	—	—	6	4	—	Singhbhum	
Total for w/e 22-1-55	..	—	—	10	8	TOTAL	43	7	
7-yearly mean for the week	4	2	—	(Estd. mid-year pop. 41,828 thousands)	
Andhra														
"N.R."														
TOTAL	7-yearly mean for the week	41	15	
(Estd. mid-year pop. 9,672 thousands)									142	15	14	9	..	
Total for w/e 29-1-55	I	Bihar —contd.					
Total for w/e 22-1-55	Manbhum	6	2	
7-yearly mean for the week	4	2	—	Palamau	
Assam														
TOTAL	Singhbhum	
(Estd. mid-year pop. 9,672 thousands)									TOTAL	43	7	
Total for w/e 29-1-55	I	(Estd. mid-year pop. 41,828 thousands)	
Total for w/e 22-1-55	Total for w/e 29-1-55	18	7	
7-yearly mean for the week	4	I	Total for w/e 22-1-55	69	21	
Bhopal														
"N.R."														
Bihar														
Patna	Bombay					
Gaya	Greater Bombay	8	..	
Shahabad	Ahmedabad	
Saran	Kaira	
Champaran	Broach	
Muzaffarpur	Panch Mahals	33	3	
Darbhanga	Surat	
Monghyr	Thana	4	..	
Bhagalpur	Satara South	12	..	
Saharsa	Ahmednagar	17	1	
Purnea	East Khandesh	55	8	
Santal Parganas	West Khandesh	15	1	
Hazaribagh	Amravati	1	..	
Ranchi	Nasik	11	2	
								..	Poona	7	..	
								..	Satara North	4	..	
								..	Sholapur	
								..	Sabarkantha	25	..	
								..	Belgaum	25	4	
								..	Bijapur	
								..	Dharwar	
								..	Kanara	
								..	Ratnagiri	4	..	

Explanation of Symbols used : C.—Cases ; D.—Deaths . . . Nil. N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th February, 1955—*contd.*

	CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE								
	C. D.		C. D.		C. D.		C. D.		C. D.		C. D.		C. D.		C. D.		
Bombay—<i>contd.</i>												Madhya Pradesh—<i>contd.</i>					
Kolaba	Bilaspur	2	1
Kolhapur	Durg	30
Baroda	6	Bastar	27	3
Nawsari	Surgoja
Dangs	Raigarh
Mehsana	Amravati	49	4
Benaskantha	27	7	..	Yeotmal
	TOTAL		254	28	Akola	4	2
(Estd. mid-year pop. 38,892 thousands)													Buldana
Total for w/e 29-1-55	..	1	1	252	28										
Total for w/e 22-1-55	..	1	..	252	38										
7-yearly mean for the week	14	5	363	70	1	..									
Coorg																	
	TOTAL										
(Estd. mid-year pop. 256 thousands.)																	
Total for w/e 29-1-55	Madras City	11	3
Total for w/e 22-1-55	Chingleput	2	2
7-yearly mean for the week	Chittoor
Delhi																	
Delhi City	5	North Arcot
New Delhi	2	Salem	6	3
Delhi Notified Area	3	Colombatore	3	2	1	..
	TOTAL		7	3	South Arcot
(Estd. Census pop. 1,744 thousands.)																	
Total for w/e 29-1-55	4	Tanjore	44	25
Total for w/e 22-1-55	5	Tiruchirappalli	30	21	14	2
7-yearly mean for the week	9	2	Mathurai	5	2	12	1
Himachal Pradesh																	
	"N.R."																
Madhya Pradesh																	
Nagpur	4	1	..	(Estd. mid-year pop. 606 thousands.)								
Wardha	Total for w/e 29-1-55	..	121	83	93	21
Chanda	Total for w/e 22-1-55	..	183	105	86	14
Chhindwara	25	4	..	7-yearly mean for the week	..	1,208	682	198	41	3	1	..
Betul	8	1	..									
Bhandara	Manipur				
Jabalpur	13		TOTAL		
Sagar	16	2	..									
Mandla									
Hoshangabad	174	18	..									
Nimar	Orissa				
Balaghat	1									
Raipur	1	Cuttack	3

Explanation of Symbols used :— C.—Cases ; D.—Deaths; ..—Nil ; N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th February, 1955—contd.

Explanation of Symbols used : C. = Cases; D. = Deaths; .. = Nil;

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th February, 1955—*contd.*

	CHOLERA						SMALLPOX						PLAQUE									
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.				
Vindhya Pradesh																						
TOTAL	—	8	123	71	957	170	1	1
(Estd. mid-year pop. 3,665 thousands.)																						
Total for w/e 29-1-55	86	8	—	—									145	96	912	155	6	2
Total for w/e 22-1-55	22							182	117	971	190	11	5
																	1,851	998	1,617	366	497	129
West Bengal																						
Burdwan	15	7	I										
Birbhum										
Bankura	18	9	2										
Mildnapur	5	1										
Hooghly	3										
Howrah	2	..	I	I										
24-Parganas	4	I										
Calcutta	I	I										
Nadia										
Murshidabad										
Malda										
West Dinajpur	I										
Jalpaiguri										
Darjeeling										
Cooch Behar										
Chandernagore										
TOTAL	..	35	16	18	4														
(Estd. mid-year pop. 26,099 thousands.)																						
Total for w/e 29-1-55	..	11	7	20	11														
Total for w/e 22-1-55	..	25	8	24	2														
7-yearly mean for the week	352	168	230	90										

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th February, 1955—concl'd.

	CHOLERA		SMALLPOX		PLAQUE			TYPHUS		
	C.	D.	C.	D.	C.	D.		Place	Period	Case
Padala & East Punjab States Union										
TOTAL	.	—	..	67	5	..	—			
Rajasthan										
	"N. R."						Greater Bombay	4-2-55	1 (Flea-borne)	
Saurashtra										
Gohilwad	41	18			POLIOMYELITIS
Sorath	11	3			
TOTAL	52	21				
Information based on patients treated in hospitals in important towns).										
Travancore-Cochin										
TOTAL	..	—	6	1	Places	Period	Cases	
Grand total for States Part (B)	26	15	211	49	4	2	Uttar Pradesh	16—31 January 1955	1 (Paretic)	
Grand total for States Parts (A), (B) & (C)	149	86	1167	219	5	3	Madras State	1—15 January 1955	12	
							"	16—31 January 1955	9	

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

NEW DELHI-2 (INDIA)}
The 28th February, 1955. J

K. MITRA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th February, 1955

Town	Mid-year Popn. Est. (000)	Deaths from :-												Total	D.R.*	I.D.		
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total							
(STATES—(Part A and Part C))																		
Ajmer																		
Andhra																		
Adoni	61	37	31.4	1	1	..	8	6.8	13.0	1				
Anantapur	36	31	44.6	1	1	..	9	9	13.2	2				
Anakapallit																		
Bhimavaram	35	12	17.8	2	2	3.0	8.7	..				
Chirala	42	18	24.8	2	..	7	7	4					
Chittoor†																		
Cuddapah	41	21	27.1	1	1	..	9	10.8	15.0	1				
Eluru	97	37	19.8	1	1	..	28	13.6	19.3	3				
Gudivada	35	18	26.8	5	2	1	13	12.5	18.3	2				
Guntur†																		
Guntakal	36	20	26.8	3	2	1	12	17.8	13.6	4				
Kakinada	111	45	21.1	7	1	..	29	12.5	18.3	8				
Kurnool	67	82	63.6	3	2	..	29	22.5	23.0	7				
Masulipatnam†																		
Nandyal	37	25	35.1	1	1	13	18.3	15.7	5				
Nellore	92	75	42.2	5	7	6	55	30.9	23.0	7				
Proddatur	41	29	37.4	2	..	3	36	19	15.7	..				
Rajahmundry	119	82	35.8	3	..	2	..	13	12.6	15.2	5			
Tenali	65	36	28.9	..	5	2	6	..	19	15.2	18.3	3				
Vijayawada†																		
Visakhapatnam†																		
Vizianagaram	74	38	26.7	4	1	1	18	12.6	14.3	4				
TOTAL	989	606	31.9	..	5	..	40	20	29	9	306	16.1	56					
Assam }																		
Bhopal }																		
"N.R."																		
Delhi State																		
Delhi City	1,085	607	29.1	46	3	46	168	8.1	34					
New Delhi	335	260	38.1	10	71	10.4	13					
N.A.C. Civil Station, Delhi	111	64	29.9	..	3	4	12	5.6	4					
Delhi Cantt.	49	10	10.6				
Delhi Shahdara	51	33	33.6	3	..	4	14	14.3	3					
TOTAL	1,651	974	30.7	..	3	..	49	3	64	1	265	8.3	54					
Madhya Pradesh																		
Achalpur	38	24	32.8	3	—	1	11	15.1	4					
Akola	101	62	31.9	..	3	7	3	2	32	16.4	5					
Amravati	98	107	36.8	7	1	3	36	19.1	10					
Bilaspur	40	32	33.6	..	1	1	1	1	12	15.6	4					
Burhanpur	77	54	36.4	..	1	11	4	..	20	13.5	..					
Chanda	43	38	46.0	6	11	13.3	..					
Chhindwara	30	16	27.7	1	5	8.7	4					
Hinganghat†																		
Kamptee	35	9	13.4	1	5	7.4	..					
Gondia	44	20	23.6	2	..	1	7	8.3	1					
Khandwa	58	21	18.8	3	—	..	7	6.3	..					
Wardha†																		
Sagar	73	29	20.7	4	..	3	9	6.4	..					
Nagpur	513	74	17.5	12	1	11	57	5.8	1					
Raipur	101	28	14.4	4	2.1	..					
Yeotmal	40	34	44.2	1	3	..	9	11.7	3					
TOTAL	1,291	548	22.1	..	5	..	58	14	22	1	225	9.1	32					

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total deaths); N.R.—Information not received; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th February, 1955—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D.R.*	I.D.
Bihar													
Bombay													
Amalner	49	22	23.3	4	..	8	..	16	16.9	2
Ahmedabad	870	618	36.9	23	6	57	1	222	8.7	60
Ahmednagar	87	59	35.2	1	3	6	2	31	18.5	11
Bagalkot	36	14	20.2	1	2	..	7	10.1	1
Baroda	237	224	49.1	9	2	10	1	50	10.9	17
Barsi	45	17	19.6	4	..	1	..	12	13.8	2
Belgaum	109	52	24.8	5	2	1	1	33	15.7	6
Bhusawal	61	39	33.2	3	..	2	..	8	6.8	2
Bijapur†													
Cambay†													
Broach	66	43	33.8	3	..	3	..	16	12.6	1
Chalisgaon	34	23	33.1	6	11	16.8	5
Dharwar	75	41	28.4	6	..	1	..	19	13.1	1
Dhulia	87	57	34.0	3	..	5	..	12	7.1	4
Gadag-Betgeri	70	46	31.5	7	1	2	..	27	20.0	..
Godhra	40	31	40.3	1	..	2	1	7	9.1	..
Greater Bombay	3,335	1,448	22.5	4	21	121	2	581	9.0	152
Hubli	144	84	27.5	5	2	1	..	30	10.8	..
Jalgaon	77	55	35.8	5	..	1	..	15	10.1	3
Kalyan	70	11	8.1	2	8	2.5	2
Kolhapur	155	100	33.5	8	..	8	..	45	15.0	10
Malegaon	62	53	44.4	..	2	..	20	1	3	..	28	23.4	7
Miraj†													
Nadiad	70	34	25.2	10	18	13.3	4
Nandurbar	34	33	50.4	1	..	3	1	14	21.4	6
Nasik	115	72	32.5	4	1	3	..	29	13.1	8
Navasari	49	33	35.0	6	10	10.6	2
Pandharpur	44	53	62.6	3	1	3	..	11	13.0	5
Patan	46	30	33.9	1	10	11.3	5
Poona	584	225	22.7	8	..	34	6	112	9.9	29
Sangli	57	29	26.4	3	..	1	..	13	11.8	3
Satara	40	21	27.3	2	..	2	..	13	16.2	..
Sholapur	293	218	38.6	24	3	40	..	101	17.9	22
Surat	245	189	40.1	12	..	17	1	94	19.9	32
Thana†													
TOTAL	7,286	3,974	28.4	..	2	..	190	47	335	16	1,603	11.4	402
Madras													
Ambar	44	37	43.7	2	..	2	..	12	14.2	3
Aruppukottai	55	47	44.4	12	3	2	..	25	23.6	6
Bodinayakanur.	39	12	16.0	1	1	2	..	7	9.3	1
Cannanore	46	13	14.7	4	..	1	..	10	11.3	2
Chidambaram	38	18	24.6	1	..	2	..	11	15.0	2
Coimbatore	227	185	42.4	1	15	17	1	99	22.7	22
Cuddalore	73	72	51.3	7	3	1	34	24.2	8
Dindigul	88	37	21.9	2	6	2	..	26	15.4	8
Erode	65	85	68.0	2	3	2	24	19.2	5
Gobichettipalayam	37	17	23.9	7	9.8	..
Gudiyattam	51	25	25.5	2	4	3	..	21	21.4	5
Kanchipuram	90	52	30.0	5	6	..	34	19.6	6
Karaikudi	43	29	35.1	1	..	1	..	10	12.1	2
Karur	48	22	23.8	3	14	15.2	2
Kozhikode	173	87	26.2	11	..	4	..	55	16.5	6
Kumbakonam	102	69	35.2	1	1	5	..	28	14.3	3
Madras	1,650	1,029	32.4	..	3	..	98	137	212	4	800	25.2	210
Mangalore	133	38	14.6	2	3	6	..	23	9.0	4
Mathurai	415	296	37.1	..	4	..	15	9	44	5	160	20.0	36
Mayuram	48	85	92.0	1	..	14	15.1	3
Melapalayam	40	6	7.8	2	3	10	13.0	5
Nagapattinam	60	51	44.2	1	5	4	24	20.8	2
Ottacamund	43	39	47.2	3	..	9	10.9	1
Palani	39	29	38.7	1	..	4	5.3	..

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th February, 1955—contd.

Town	Mid-year Popn.-Est. (000)	Deaths from :—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras—contd.														
Palayamkottai	44	55	65.0	5	4	1	1	30	35.5	7	
Palghat	76	41	28.1	2	20	13.7	3	
Periyakulam	33	10	15.8	1	2	2	..	10	15.8	2	
Pollachi	49	37	39.3	1	2	2	..	18	19.1	5	
Pudukkottai	49	43	45.6	4	4	4	1	36	38.2	4	
Rajapalayam	67	29	22.5	1	3	4	..	19	14.7	6	
Salem	234	141	31.3	4	5	10	..	59	13.1	4	
Srirangam	41	6	7.6	1	1	1	..	13	16.5	2	
Srivilliputtur	43	25	30.2	1	1	2	..	13	15.7	4	
Tanjore	115	57	25.8	2	..	3	1	35	15.8	5	
Tellicherry	42	18	22.3	1	1	..	8	9.9	1	
Tiruchirapalli	245	169	35.9	3	2	6	18	1	88	18.7	15	
Tirunelveli	79	69	45.4	1	5	4	..	30	19.7	2	
Thiruppur	61	37	31.5	1	1	4	..	24	20.5	7	
Tiruvannamalai	44	40	47.3	1	3	3	..	11	13.0	1	
Tuticorin	109	70	33.4	3	11	2	35	16.7	7	
Vaniyambadi	42	24	29.7	3	1	11	13.6	1	
Vellore	121	103	44.3	13	10	1	57	24.5	19	
Villupuram	39	31	41.3	1	1	4	1	10	13.3	1	
Virudhunagar	52	21	21.0	1	2	3	..	17	17.0	2	
TOTAL	5,232	3,406	33.9	4	7	..	195	257	407	23	2,005	19.9	440	
Orissa														
Berhampur	70	30	13.4	3	..	2	1	11	8.2	2	
Cuttack	114	150	68.6	6	6	6	..	48	21.9	6	
Puri	53	33	32.5	..	1	..	6	..	3	..	27	26.6	9	
TOTAL	237	213	46.7	—	1	..	15	6	11	1	86	18.9	17	
Punjab (I)														
Ambala	64	47	38.3	1	..	5	..	9	7.3	5	
Amritsar	335	325	50.6	3	19	1	56	8.7	18	
Batala	61	26	22.2	5	8	6.8	..	
Bhiwani	56	51	47.5	2	4	3.7	1	
Ferozepore	43	28	33.9	3	7	..	12	14.5	2	
Hissar	38	31	42.5	4	4	5.5	..	
Hoshiarpur	50	40	41.7	2	4	4.2	1	
Jullundur	194	163	43.8	2	7	..	18	4.8	3	
Karnal	69	53	40.1	2	1	4	..	14	10.6	3	
Ludhiana	172	135	40.9	16	..	4	..	37	11.2	4	
Moga†	62	45	37.8	3	4	3.4	2	
Panipat	
Pathankot	33	39	61.6	2	..	5	..	7	11.1	4
Rewari	36	28	40.6	2	..	2	..	5	7.2	1	
Rohtak	102	62	31.7	5	1	9	..	17	8.7	3	
Simla†	33	17	26.9	2	..	3	4.7	1	
Sonepat	
TOTAL	1,348	1,090	42.2	43	10	64	1	202	7.8	48	
Uttar Pradesh														
Agra	367	356	50.4	1	3	40	..	102	14.5	26	
Allahabad	342	175	26.6	2	2	23	..	52	7.9	13	
Amroha	60	53	45.9	2	1	6	..	19	16.5	6	
Bahraich	46	21	23.7	8	9	10.2	1	
Banaras	375	460	63.8	37	3	8	1	138	19.1	28	
Ballia	34	15	22.9	1	..	1	..	5	7.6	3	
Basti†	201	62	16.0	5	2	11	1	25	6.5	3	
Bareilly	31	15	25.2	3	1	8	13.4	1	
Bijnor	
Budaun	54	33	31.8	4	..	6	..	17	16.4	3	
Banda	32	19	30.9	1	..	1	1.6	1	
Bulandshahr	41	5	6.3	1	3	3.8	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; F.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th February, 1955—contd.

Deaths from :-

Town	Mid-year Popn.-Est. (⁰⁰⁰)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Chandausi	40	32	41.6	1	2	2	1	14	18.2	4
Dehra Dun	141	49	18.1	..	1	..	3	..	8	..	21	7.7	4
Etawah	63	37	30.5	6	..	3	..	10	8.3	1
Aizabad-Ayodhya	85	47	28.8	1	2	6	..	12	7.3	1
Arrukhabad-Fatehgarh	81	55	35.3	4	2	10	..	22	14.1	3
Ferozabad	76	24	16.4	1	1	1	..	6	4.1	3
Ghazipur	36	35	50.5	6	14	20.2	1
Ghaziabad	45	21	24.3	5	..	1	..	9	10.4	2
Gonda	34	12	18.4	1	3	4.6	1
Gorakhpur	137	54	20.5	11	5	4	1	27	10.2	6
Hapur	48	40	43.3	1	1	2	..	11	11.9	2
Hardwar	63	32	26.4	5	..	4	..	15	12.4	7
Hathras	61	35	29.8	6	1	6	..	16	13.6	3
Jaunpur	56	32	29.7	3	..	2	..	11	10.2	1
Jhansi	115	66	29.8	..	1	..	9	..	5	..	17	7.7	9
Kanpur	716	323	23.5	100	11	29	3	241	17.5	79
Kasganj	34	12	18.4	2	3	4.6	..
Khurja	40	30	39.0	2	3	..	1	7	9.1	..
Koil-Aligarh	148	53	18.6	5	..	6	..	17	6.0	5
Lucknow	485	245	26.3	..	11	..	26	9	50	1	184	19.7	37
Mathura	108	58	27.9	8	..	7	1	17	8.2	4
Mau-Nath Bhanjan	37	13	18.3	2	1	3	4.2	1
Meerut	181	69	19.8	3	..	10	..	21	6.0	7
Mirzapur-Vindhya Chal	95	52	28.4	..	1	..	5	1	5	..	16	8.8	5
Moradabad	163	120	38.3	12	2	11	..	40	12.8	10
Muzaffarnagar	72	46	33.2	2	6	4.3	..
Pilibhit†													
Rampur	154	4	1.4	2	3	1.0	..
Saharanpur	158	82	27.0	32	..	3	1	46	15.1	12
Sambhal	64	63	51.3	5	1	9	..	17	13.8	3
Shahjahanpur	99	47	24.7	10	..	2	..	21	11.1	6
Sitapur	48	18	19.5	1	2	2.2	..
TOTAL	5,266	3,020	29.8	..	14	..	344	54	282	11	1,231	12.2	302

West Bengal

"N.R."

STATES (Part 'B')

Jammu & Kashmir		"N.R."											
Madhya Bharat		"N.R."											
Mysore State													
Bangalore City	936	605	38.7	6	41	81	..	252	16.1	..
Davanagere	67	7	9.5	2	4	5.4	..
Kolar Gold Fields	170	146	44.6	7	9	5	..	55	16.2	..
Mysore City	285	232	48.8	3	8	10	..	82	17.2	..
TOTAL	1,458	990	35.3	16	60	96	..	393	14.0	..

PEPSU

Patiala City	108	91	43.8	6	1	6	..	22	10.6	7
Malerkotla	34	23	35.2	5	..	1	..	6	9.2	1
Bhatinda	38	13	18.8	1	..	1	..	2	2.9	1
TOTAL	180	127	36.7	12	1	8	..	30	8.7	9

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th February, 1955—contd.

Town	Mid-year Popn. Est. (ooo)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan													
Alwar	60	23	19.9	1	4	3.4	..
Bharatpur	38	11	15.0	1	..	1	..	5	6.8	2
Bikaner	117	51	22.6	4	1	8	..	21	9.3	3
Churu	46	2	2.3	..	1	..	1	..	1	..	4	4.5	..
Ganganagar	45	3	3.4	4	..	2	..	6	6.9	1
Tonk	45	1	2	2.3	..
Sikar	49	12	12.7	3	..	3	..	8	8.4	..
Jaipur	341	54	8.2	14	3	20	..	56	8.5	13
Udalpur	103	19	9.5	4	1	2	..	11	5.5	..
Jodhpur	196	60	15.9	..	20	..	21	7	9	1	72	19.1	21
Kotah	71	19	13.9	3	6	4.3	..
TOTAL	1,111	254	11.9	..	21	..	57	12	46	1	195	9.1	40
Saurashtra													
Bhavnagar	153	50	17.0	..	18	..	13	1	10	..	79	26.8	21
Dhoraji	46	18	20.3	5	2	3	..	14	15.8	..
Gondal	40	22	28.6	1	..	2	..	5	6.5	2
Jamnagar	119	29	12.7	4	..	2	..	14	6.1	1
Junagadh†													
Morvi	42	24	29.7	1	..	3	3.7	..
Porbandar	63	43	35.5	8	..	1	..	15	12.4	6
Surendranagar†													
Rajkot	161	67	21.6	6	1	1	..	20	6.5	3
Veraval	45	14	16.2	5	..	2	..	7	8.1	..
TOTAL	669	267	20.8	..	18	..	42	4	22	..	157	12.2	33
Travancore-Cochin													
"N.R."													
ARREAR RETURNS													
<i>For w/e 29-1-55</i>													
West Bengal													
Asansol†	33	8	12.6	1	1.6	..
Baidyabati	65	5	4.0	1	3	2.4	..
Bally													
Bankura	49	14	14.6	2	2.1	..
Bansberia†													
Baranagar	87	24	3	2	1	..	19
Basirhat	39	6
Berhampur	62	37	31.1	3	1	13	10.9	1
Bhadreshwar	34	7	10.7	1	3	4.6	..
Bhatpara	141	29	10.7	..	2	..	8	2	4	..	30	11.1	2
Budge-Budge	32	9	14.7	3	1	..	6	9.8	..
Burdwan	81	25	16.1	4	..	11	7.1	..
Calcutta	2,931	1,062	18.9	..	1	..	43	36	146	2	513	9.1	151
Champdani	40	16	20.9	..	1	2	2.6	..
Cooch-Behar	41	34	43.2	3	3.8	..
Darjeeling†													
English-Bazar	35	20	29.8	1	3	4.5	..
Garden-Reach	121	18	7.8	4	1	11	4.7	5
Halishahar	40	3	3.9	3	3.9	2
Hoogly-Chinsura†													
Howrah	471	139	15.4	1	14	41	..	107	11.8	30
Jalpaiguri	47	28	31.1	1	—	3	3.3	..
Kamarhati†													
Kanchrapara	71	2	1.5	—
Krishnagar	55	2	1.9	1	0.9	..
Midnapore	44	51	60.4	1	2	1	1	11	13.0	..
Nabadwip	67	24	18.7	6	1	9	7.0	1
Naihati	61	2	1	2	..	7	6.0	..
North Barrackpore	36	6	8.7	1	1.4	..
Panihati	62	2	1.7	1	7	5.9	..
Shantipur	48	10	10.9	1	4	4.3	..
Serampore	82	29	18.4	3	1	2	..	17	10.8	4
Siliguri†													
South Dum-Dum	79	3	2.0	13	5.6	..
South Suburban	120	22	9.6	3	2	6	..	22	15.1	5
Titagarh	76	24	16.5	19	..	1	..	22	15.1	4
TOTAL	5,150	1,659	16.8	..	4	..	99	67	211	3	8,25	8.3	205

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; —Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th February, 1955—concl.

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>For w/e the 29th January 1955</i>													
Bihar													
Patna Corporation	330	129	3	1	..	1	23	3.7	..
Bihar	67	10	7.7	..	2	..	2	4	3.1	..
Dinapur	44	8	9.5	1	1	1	..	3	3.6	..
Gaya	146	147	52.4	..	2	..	12	8	10	..	57	20.3	..
Bettiah	38	8	11.0	2	..	1	..	5	6.8	1
Muzaffarpur	82	29	18.4	1	1	14	8.9	..
Arrah	69	9	6.8	4	7	5.3	..
Darbhanga	92	20	11.3	6	13	7.4	..
Monghyr	79	7	4.6	1	2	1.3	..
Jamalpur	46	7	7.9
Bhagalpur	124	18	7.6	3	13	5.5	..
Ranchi	126	21	8.7	4	7	2.9	3
Purulia	46	6	6.8	1	1	1.1	..
Dhanbad	40	8	10.4	3	3.9	..
Jamshedpur	241	57	12.3	1	3	..	10	2.2	2
Katihar	49
Hazaribagh	38
TOTAL	1,657	484	15.8	..	4	..	40	12	15	1	162	5.3	6
<i>For w/e the 29th January 1955</i>													
Travancore-Cochin													
Alleppey	142	148	54.2	4	1	4	..	36	13.2	6
Changanacherry	40	50	65.0	1	1	1	..	6	7.8	..
Ernakulam	69	46	34.7	1	14	10.6	..
Kottayam†
Mattancherry	83	20	16.9	2	..	8	5.0	..
Nagercoil	91	30	17.1	1	5	2.9	..
Quilon	73	81	57.7	1	1	11	7.8	..
Trichur	75	29	20.1	5	1	5	..	20	14.9	2
Trivandrum City	213	39	9.5	5	2	5	..	19	4.6	2
TOTAL	786	443	29.3	17	6	18	1	119	7.9	10
<i>For w/e the 15th January, 1954</i>													
Bombay													
Ahmedabad	870	633	37.8	5	5	75	..	232	13.8	76
Ahmednagar	87	71	42.4	1	4	4	1	22	13.1	3
Amalner	49	26	27.5	1	1	4	..	11	11.6	..
Bagalkot	36	18	26.0	2	..	7	10.1	3
Baroda	237	191	41.9	11	..	16	..	60	13.1	..
Barsi	45	34	39.2	4	2	12	..	18	20.8	18
Belgaum	109	91	43.2	4	..	1	..	23	10.9	1
Bhusawal	61	17	14.4	4	..	1	..	5	4.2	4
Bijapur†
Broach	66	65	51.2	3	..	2	..	13	10.2	3
Cambay†	6	9.1	1
Chalisgaon	34	45	68.8	4	..	1
Dharwar	75	28	19.4	3	4	2	..	15	10.4	1
Dhulia	87	50	29.8	9	..	4	..	18	10.7	7
Gadag-Betgeri	70	40	29.7	4	1	2	2	22	16.3	..
Godhra	40	33	42.9	9	11.7	..
Greater Bombay	3,335	1,823	28.4	..	1	..	2	31	87	..	616	9.6	147
Hubli	144	71	25.6	2	..	5	2	18	6.5	1
Jalgaon	77	68	45.9	5	..	3	2	22	14.8	4
Kalyan	70	34	25.2	4	..	2	..	13	9.6	..
Kolhapur	155	80	26.8	6	1	2	..	28	9.3	9
Malegaon	62	23	19.2	..	9	..	14	1	4	..	28	22.0	6
Miraj†
Nadiad	70	55	40.8	12	1	1	..	26	19.3	6
Nandurbar	34	18	27.5	1	..	1	..	8	12.2	..
Nasik	115	66	29.8	4	2	1	..	22	9.9	4
Navsari	49	25	26.5	7	..	2	..	13	13.7	1
Pandharpur	44	41	48.4	1	2	8	..	15	17.7	4
Patan	46	32	36.1	3	..	1	..	14	15.8	3
Poona	584	261	23.2	7	5	22	6	126	11.2	27
Sangli	57	37	33.7	4	..	1	..	7	6.3	2
Satara	40	31	40.3	1	..	1	..	13	16.9	..
Sholapur	293	215	38.1	11	9	40	..	118	20.9	24
Surat	245	158	33.5	8	2	10	..	85	18.0	31
Thana†
TOTAL	7,286	4,380	31.3	..	10	..	145	1	317	13	1,633	11.7	386

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 5th February, 1955, relate to 196 towns with an estimated population of 26,718 thousands. The total number of towns is 300 and their population is 38,987 thousands. Thus 65% of the total number of towns representing 69% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 15,469 and 6,698 representing birth and death rates of 30.1 and 13.0 per thousand of population, respectively.

(a) *States (Part A & Part C)*.—The data here relate to 170 towns with an estimated population of 23,300 thousands. Information about Ajmer, Assam, Bihar, Bhopal and West Bengal could not be included. The total number of towns is 252 and their population is 32,571 thousands. Thus 67% of the total number of towns representing 72% of the total population is covered. The number of births and deaths

recorded in these towns were 13,831 and 5,923 representing birth rates and death rates of 30.9 and 13.2 per thousand of population, respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*.—The data here relate to 26 towns with an estimated population of 3,418 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 54% of the total number of towns representing 53% of the total population is covered. The number of births and deaths recorded in these towns were 1,638 and 775 representing birth and death rates of 24.9 and 11.8 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 5-2-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	31.9	16.1	24.5	14.6	†	†
Delhi . . .	30.7	8.3	25.6	6.1	32.7	10.1
Madhya Pradesh . .	22.1	9.1	25.1	11.0	32.0	17.6
Bombay . . .	28.4	11.4	25.2	13.5	29.1	17.0
Madras . . .	33.9	19.9	28.0	18.3	†	†
Orissa . . .	46.7	18.9	54.7	20.7	41.2	24.5
Punjab (I) . . .	42.2	7.8	41.5	8.3	32.3	10.1
Uttar Pradesh . .	29.8	12.2	28.4	13.9	31.1	16.5
India (only States Part A and C).	30.9	13.2	28.6	13.8	31.4	17.3

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 28th February, 1955. }

K. MITRA,
for Registrar General, India,